

CASE STUDY



PROJECT:

Gulf Intracoastal Waterway

OWNER: *U.S. Army Corps of Engineers*

YEAR: *2011*

The Problem

After the devastation faced by New Orleans and the surrounding areas following Hurricane Katrina, the U.S. Army Corps of Engineers (USACE) responded by designing a superior defense that would safeguard the region against the worst imaginable future storm or hurricane.

Called the Gulf Intracoastal Waterway (GIWW) West Closure Project, it is part of the \$845 million Greater New Orleans Storm Drainage Risk Reduction Program. The mammoth complex tackles the threat of a major storm by offering a two-point defense. First, 32-foot-tall, 225-foot-wide metal gates block up to a 16-foot surge from the Gulf. Second, the largest water drainage pump station ever built in the U.S. pulls 150,000 gallons of floodwater per second out of the Gulf Intracoastal Waterway.

But these pumps and engines, some of the largest in the world, are only as good as the grout that supports them. To secure these enormous machines require grouts designed to meet the heaviest, most dynamic specifications – which is why the U.S. Army Corps of Engineers selected Five Star Products' DP Epoxy Grout to address the unique requirements of the West Closure's engines and pumps.

The Five Star® Solution

DP Epoxy Grout provides the highest Effective Bearing Area (EBA) of any product in the marketplace. Incredibly versatile and user-friendly, it has a long history of successful use in demanding applications. Because of its excellent flow properties, installations turn out void-free, and its expansive non-shrink characteristics and very low creep ensure long-term permanent support and allow pumps and engines to run properly without alignment or vibration problems. Five Star® DP Epoxy Grout can be poured thick or thin under machinery and allows outstanding positive expansion to ensure the highest Effective Bearing Area of any epoxy grout. Its volume of aggregate can be adjusted to meet job-site conditions without sacrificing physical properties.

Five Star® has a strong relationship with the USACE, developed over many years, so the company was called upon to provide technical, field and customer support throughout the lifespan of the project. As Five Star Products' Technical Services Manager Chris Piekos explains, "The U.S. Army Corps of Engineers is a demanding group that looks at products and applications ten different ways – and if your product does not stack up every way they look at it, they will find an alternative one that does."

Just as importantly, the USACE knew Five Star® would provide all the necessary support to get the grouting of the engines and pumps done right and done on time. Five Star® product specialists met with the USACE and Topcor Services of Baton Rouge, LA, the project contractor, at the onset of the project, ensuring that everyone in the workforce understood how to pre-condition, mix and place the DP Epoxy Grout. Five Star® field support personnel have been on site every time the grout has been placed – 15 times to date. The GIWW project is scheduled for completion in June 2011; in the meantime, Five Star® remains on the job, providing technical field support every single time the contractor installs its products.



FIVE STAR

Specified by the World's Best

DP EPOXY GROUT

Dual-Purpose, Deep Pour Precision Epoxy Grout

PRODUCT DESCRIPTION

Five Star® DP Epoxy Grout is the only expansive, non-shrink, low exothermic epoxy system for machinery grouting. This versatile, dual purpose product is formulated for single, large volume placements and may be used as thin as 1/2 inch (13 mm) and up to 18 inches (450 mm) in depth. Five Star® DP Epoxy Grout is a three component, 100% solids, solvent-free system formulated to provide high-strength and superior creep resistance combined with the highest Effective Bearing Area (EBA). Five Star® DP Epoxy Grout exhibits positive expansion when tested in accordance with ASTM C 827.

ADVANTAGES

- Low Exotherm Properties with Early Strength Development
- Long Working Time
- Solvent-free Clean Up
- Adjustable Flow for Various Conditions
- Expansive, Non-shrink per ASTM C 827
- Superior Creep Resistance
- Chemically Resistant
- 95% Effective Bearing Area (EBA) when Following Proper Grouting Procedures
- Excellent Adhesion to Steel

USES

- Large Volume Applications
- Foundation Rebuilds and Skid Mounted Equipment
- Precision Alignment under Dynamic Load Conditions
- Vibration Dampening for Rotating Equipment
- Aggressive Chemical Environments
- Support of Tanks, Vessels and Rotating Equipment
- Installation of Anchors and Dowels
- Wind Turbine Baseplates

ISO 
9001:2008
REGISTERED

For worldwide availability, additional product information and technical support, contact your local FiveStar® distributor, local sales representative, or you may call Five Star Products, Inc. Engineering and Technical Service Center at (800) 243-2206

Five Star Products, Inc.
750 Commerce Drive • Fairfield, CT 06825-5519
Phone: 203-336-7900 • Fax: 203-336-7930

www.FiveStarProducts.com



© 2011 Five Star Products, Inc.
American Owned and Operated
March 2011